

Medline's Cubicle Track is Durable and Easy to Install

Durability, easy installation and smooth operation make this track system stand above the rest. The track has a reinforced spine and the carriers have self-lubricating nylon wheels. Track includes 3 carriers per foot. For additional carriers order option D, Supreme carriers item number MCD114130.



Please note that the quantity of carriers included with track order may not be enough for selected curtain width. To order carriers use item number MCD114130 (sold by the each.)

Item No.	Description	List
Track with Supreme Carriers		
SUP2FTSTR	2 Ft. Straight	\$16.51/ea
SUP3FTSTR	3 Ft. Straight	\$24.78/ea
SUP4FTSTR	4 Ft. Straight	\$33.00/ea
SUP5FTSTR	5 Ft. Straight	\$41.29/ea
SUP6FTSTR	6 Ft. Straight	\$49.56/ea
SUP7FTSTR	7 Ft. Straight ¹	\$57.82/ea
SUP8FTSTR	8 Ft. Straight ¹	\$66.07/ea
SUP2X2FTW45	2 Ft. x 2 Ft. w/45° Bend	\$41.29/ea
SUP2X2FTW90	2 Ft. x 2 Ft. w/90° Bend	\$41.29/ea
SUP3X3FTW45	3 Ft. x 3 Ft. w/45° Bend	\$57.82/ea
SUP3X3FTW90	3 Ft. x 3 Ft. w/90° Bend	\$57.82/ea

¹Freight intensive. Call for shipping quote.

NOTE: All track is supplied in unspliced one-piece length for 8 ft or less. All lengths greater than 8 ft the track would be shipped in 2 pieces. For uncut pieces add a "U" to the end of the item number for Unspliced. Special freight and handling charges will apply.

Supreme Track Also Available With Different Carriers

This sturdy track has a reinforced spine for easier installation. Reinforced inside track corners form a V-shape channel for 4-point suspension raceway. Choose from three carrier styles. All track comes with 3 carriers per foot.

Item No.	Description	List
Track With Spool Carriers. 3/4" wide with no wheels.		
SPC2FTSTR	2 Ft Straight Track	\$25.18/ea
SPC3FTSTR	3 Ft Straight Track	\$37.82/ea
SPC4FTSTR	4 Ft Straight Track	\$50.40/ea
SPC5FTSTR	5 Ft Straight Track	\$63.00/ea
SPC6FTSTR	6 Ft Straight Track	\$75.60/ea
SPC7FTSTR	7 Ft Straight Track	\$88.27/ea
SPC8FTSTR	8 Ft. Straight Track	\$100.84/ea
SPC2X2FTW90	2 x 2 Ft Track With 90° Bend	\$63.00/ea
Track With Chain Carriers. 2-wheeled chain carrier.		
SCC2FTSTR	2 Ft Straight Track	\$16.51/ea
SCC3FTSTR	3 Ft Straight Track	\$24.78/ea
SCC4FTSTR	4 Ft Straight Track	\$30.22/ea
SCC5FTSTR	5 Ft Straight Track	\$41.29/ea
SCC6FTSTR	6 Ft Straight Track	\$49.56/ea
SCC7FTSTR	7 Ft Straight Track	\$57.82/ea
SCC8FTSTR	8 Ft Straight Track	\$66.07/ea
SCC2X2FTW90	2 x 2 Ft Track With 90° Bend	\$41.29/ea



Track With Breakaway Carriers.


Nylon carriers have plastic hooks that break away, prohibiting track from being torn down.




Item No.	Description	List
SBC2FTSTR	2 Ft Straight Track	\$40.84/ea
SBC3FTSTR	3 Ft Straight Track	\$59.96/ea
SBC4FTSTR	4 Ft Straight Track	\$79.00/ea
SBC5FTSTR	5 Ft Straight Track	\$98.07/ea
SBC6FTSTR	6 Ft Straight Track	\$117.07/ea
SBC7FTSTR	7 Ft Straight Track	\$136.11/ea
SBC8FTSTR	8 Ft Straight Track	\$155.38/ea
SBC2X2FTW90	2 x 2 Ft Track With 90° Bend	\$97.56/ea



Cubicle Curtain Accessories and Hardware



Item No.	Description	List
A. MCD114130C	Supreme Carrier With Chain	\$1.53/ea
B. MCD116060	Tieback for Cubicle Curtain	\$10.13/ea
C. MCD114140	Splice for Supreme Track	\$5.64/ea
MCD116015	White PVC Drop, 16" (not shown)	\$2.78/ea
MCD116010	Drop Chain, 15" (not shown)	\$3.78/ea
D. MCD114130	Supreme Carrier	\$1.53/ea
E. MCD114131	Breakaway Carriers	\$6.04/ea
F. MCD114132	Spool Carrier	\$2.27/ea
G. MCD114110	End Stops for Supreme Track	\$1.53/ea
H. MCD111120BX	Geri Carriers, 100/bx	\$138.89/bx



We reserve the right to correct any errors that may occur within this catalog.

10190/ARN
BuyLine 9402



I.V. SYSTEMS

CURTAIN CUBICLES

I.V. Bottle Holders

- Telescoping and non-telescoping
- Multiple I.V. hook options

I.V. Carriers

- Easy-twist lock
- Non-conductive or conductive wheels

I.V. Track Systems

- Double straight for patient rooms
- U-shaped for intensive care units
- Oval-shaped for operating rooms

Cubicle Track, Carriers and Curtains

- Satin anodized or white baked enamel finish
- Ceiling mounted or suspended
- Large selection of fabrics



I.V. BOTTLE HOLDERS



No. 8000

No. 8000 - Telescoping

The ARNCO No. 8000 is the most versatile I.V. Bottle Holder available. It offers a full 16" of telescoping vertical adjustment and eight I.V. stations for maximum load capacity.



No. 4000

No. 4000 Series - Telescoping

The ARNCO No. 4000 Series offers 16" of telescoping vertical adjustment and four I.V. stations. I.V. stations can be located at the bottom (4000), top (4000A) or top and bottom (4000B) of the telescoping shaft.



No. 4000A



No. 4000B

■ Easy To Use

The ARNCO single button design allows a full 16" of vertical adjustment and, when released, automatically locks the Bottle Holder in any vertical position.

■ Long-Lasting and Maintenance-Free


Constructed of non-magnetic stainless steel, durable aluminum tube and precision-machined aluminum fittings, the ARNCO Bottle Holder is engineered to provide years of maintenance-free superior performance.

■ Fits Any Ceiling Height

Bottle Holder extensions to fit ceiling heights up to 10' 6" are standard. Longer extensions for higher ceilings are available, if specified.

BOTTLE HOLDER FEATURES

Bottle Holder Model Number	No. of I.V. Hooks	I.V. Hook Location	Vertical Adjustment
No. 8000	8	4 Top, 4 Bottom (offset 45°)	16" Telescoping Square Shaft*
No. 4000	4	Bottom	16" Telescoping Square Shaft*
No. 4000A	4	Top	16" Telescoping Square Shaft*
No. 4000B	4	2 Top, 2 Bottom (on same plane)	16" Telescoping Square Shaft*
No. 5000	5	4 (top hooks) 1 (bottom hook)	16" Non-Telescoping Square Shaft



No. 5000

No. 5000 Series - Non-Telescoping

The ARNCO No. 5000 Series offers five I.V. stations and is adjustable over the entire length of the stainless steel shaft. The square shaft of the No. 5000 prevents the I.V. stations from rotating.

BOTTLE HOLDER LENGTHS


TELESCOPING MODELS 4000, 4000A, 4000B, 8000				NON-TELESCOPING MODEL 5000	
Ceiling Heights	Fully Extended (A)	Vertical Travel (B)	Closed (C)	Ceiling Heights	Overall Height (A)
8'-0"	28"	10"	18"	8'-0"	24"
8'-6"	39"	16"	23"	8'-6"	30"
9'-0"	45"	16"	29"	9'-0"	36"
9'-6"	51"	16"	35"	9'-6"	42"
10'-0"	57"	16"	41"	10'-0"	48"
10'-6"	63"	16"	47"	10'-6"	54"



Custom Sizes
Available For Any
Ceiling Height


I.V. CARRIERS

- **Easy To Use** ... The carrier glides smoothly around 12" radius corners and locks into place anywhere along the entire length of the track with a single 180-degree twist.
- **Precision Engineered** ... A machined aluminum carriage with:
 - Front and rear nylon guide wheels.
 - Stainless steel I.V. loop.
 - Locking nylon bushing.
- **Non-Conductive (NC-100)** ... When supplied with four nylon wheels.
- **Conductive (C-100)** ... When supplied with three nylon wheels and one aluminum wheel.




NO. NC-100

No. 1100 I.V. TRACK & I.V. CARRIER DETAIL



I.V. TRACK SYSTEMS

ARNCO No. 1100 I.V. Track is heavy gauge extruded aluminum in satin anodized or white baked enamel finish. The track is designed to receive the NC-100 or C-100 Carriers and can be supplied with 12" radius corners to accommodate any shape.



SPECIFICATIONS

Part I: SCOPE

- 1.1 Cubicle Curtain and/or I.V. Track and all accessories shall be furnished by A.R. Nelson Co., St. Louis, MO, 636-225-4700
- 1.2 All materials shall be delivered in their original unopened packages and stored in an enclosed, climate-controlled shelter providing protection from damage and exposure to the elements.
- 1.3 All product materials and workmanship shall be guaranteed free of defects by the manufacturer for a period of one

Part II: PRODUCTS: Cubicle Curtain Track

- 2.0 Cubicle Track shall be A.R. Nelson Co., No. 1200 Ceiling Mounted Track or No. 1100 Suspended Track (select one). Corner bends shall have a 12" radius up to 90 degrees.
- 2.1 Curtain Carriers shall be No. 12 Roller or No. 11 Glide (select one). Provide ___ carriers per linear foot of track.
- 2.2 Provide plastic end stops, end caps, connectors and other miscellaneous fittings as required.
- 2.3 Cubicle Track finish to be satin anodized aluminum or white baked enamel (select

Intravenous Support Track and Assembly

- 2.0 I.V. Track shall be A.R. Nelson Co., No. 1100 I.V. Track.
 - 2.1 I.V. Carrier shall be A.R. Nelson Co., No. NC-100 or C-100 (select one). Provide ___ I.V. Carriers per I.V. Track.
 - 2.2 Provide end caps, connectors and other miscellaneous fittings as required.
 - 2.3 I.V. Track finish to be satin anodized aluminum or white baked enamel (select one).
- Intravenous Bottle Holder
- 2.0 I.V. Bottle Holder shall be A.R. Nelson Co., Model No. _____